

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
5	494	"6101606" "6088804" "6006328" "5388211" "6609205" "6484315" "6415321" "6269447" "5699403" "5557742" "5278901" "5796942" "5798706" "5892903" "5931946" "5958015" "5991881" "6185689" "6263444" "6279113" "6282546" "6298445" "6301668" "6324656" "6330562" "6343362" "6347376" "6359557" "6363489" "6370648" "6408391" "5892903" "5136523" "5278901" "5802320"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:04

6	392	<pre> ((("6101606") or ("6088804") or ("6006328") or ("5388211") or ("6609205") or ("6484315") or ("6415321") or ("6269447") or ("5699403") or ("5557742") or ("5278901") or ("5796942") or ("5798706") or ("5892903") or ("5931946") or ("5958015") or ("5991881") or ("6185689") or ("6263444") or ("6279113") or ("6282546") or ("6298445") or ("6301668") or ("6324656") or ("6330562") or ("6343362") or ("6347376") or ("6359557") or ("6363489") or ("6370648") or ("6408391") or ("5892903") or ("5136523") or ("5278901") or ("5802320")).PN.) or ("6101606" "6088804" "6006328" "5388211" "6609205" "6484315" "6415321" "6269447" "5699403" "5557742" "5278901" "5796942" "5798706" "5892903" "5931946" "5958015" "5991881" "6185689" "6263444" "6279113" "6282546" "6298445" "6301668" "6324656" "6330562" "6343362" "6347376" "6359557" "6363489" "6370648" "6408391" "5892903" "5136523" "5278901" "5802320"))) and @ad<20000110 </pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:12
7	949675	network or LAN or WWW or WAN or Internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:06
8	8104011	secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:07
10	5185681	rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:12
11	9752476	construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:13

12	3915275	user or client or worker or person or subject or terminal or adminstrat\$5 or programmer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:13
13	4750303	lexical or JAVA or basic or language or "operating system" or UNIX or HTML or exe or excut\$5 or window or apple or solaris or linux or macintosh or program or application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:52
14	7592003	code or element or command or menu or feature or function	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:30
15	9117714	identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:35
16	958583	database or list\$5 or file or spreadsheet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:35
17	9903617	condition or traffic or action or procedur\$5 or status or exchang\$5 or transmission or transfer\$5 or function\$5 or program\$5 or task\$5 or email\$5 or messag\$5 or byt\$5 or bit or attachment or alert\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:38
18	3422400	notif\$5 or alert\$5 or send\$5 or email\$5 or indicat\$5 or tell\$5 or respond\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:39
19	2557676	"only if" or limitation or meet or equal or met	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:40
20	138879	(network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:55
21	206067	(rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:00
22	1277839	intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:58
23	4750134	lexical or JAVA or basic or language or "operating system" or UNIX or HTML or excut\$5 or window or apple or solaris or linux or macintosh or program or application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:59
24	198379	(identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:05

25	725720	(lexical or JAVA or basic or language or "operating system" or UNIX or HTML or excut\$5 or window or apple or solaris or linux or macintosh or program or application) with (code or element or command or menu or feature or function)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:11
26	8	((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)) and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)) and ((lexical or JAVA or basic or language or "operating system" or UNIX or HTML or excut\$5 or window or apple or solaris or linux or macintosh or program or application) with (code or element or command or menu or feature or function))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:23
27	8	((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)) and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)) and ((lexical or JAVA or basic or language or "operating system" or UNIX or HTML or excut\$5 or window or apple or solaris or linux or macintosh or program or application) with (code or element or command or menu or feature or function))) and @ad<20000110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:20
4	67	((6101606") or ("6088804") or ("6006328") or ("5388211") or ("6609205") or ("6484315") or ("6415321") or ("6269447") or ("5699403") or ("5557742") or ("5278901") or ("5796942") or ("5798706") or ("5892903") or ("5931946") or ("5958015") or ("5991881") or ("6185689") or ("6263444") or ("6279113") or ("6282546") or ("6298445") or ("6301668") or ("6324656") or ("6330562") or ("6343362") or ("6347376") or ("6359557") or ("6363489") or ("6370648") or ("6408391") or ("5892903") or ("5136523") or ("5278901") or ("5802320")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:22
30	1184	713/201.ccls.and @ad<20000110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 14:45

31	26063	((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)) (713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:24
32	452	((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)) GUI or template or "user interface"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:24
33	220940		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:25
35	81	((713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer))) and (GUI or template or "user interface") and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:28
36	81	((713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer))) and (GUI or template or "user interface") and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)) and (code or element or command or menu or feature or function) and (rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:32

37	144213	(notif\$5 or alert\$5 or send\$5 or email\$5 or indicat\$5 or tell\$5 or respond\$5) same (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:34
38	55	((713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer))) and (GUI or template or "user interface") and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or intrud\$5 or invad\$5)) and (code or element or command or menu or feature or function) and (rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) and ((notif\$5 or alert\$5 or send\$5 or email\$5 or indicat\$5 or tell\$5 or respond\$5) same (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or intrud\$5 or invad\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:35
39	451588	intrus\$.ab. or network.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:35
40	35	((713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer))) and (GUI or template or "user interface") and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or intrud\$5 or invad\$5)) and (code or element or command or menu or feature or function) and (rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) and ((notif\$5 or alert\$5 or send\$5 or email\$5 or indicat\$5 or tell\$5 or respond\$5) same (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or intrud\$5 or invad\$5)) and (intrus\$.ab. or network.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:36

41	7	<p>((((713/201.ccls.and @ad<20000110) and (((network or LAN or WWW or WAN or Internet) with (secur\$5 or firewall or protect\$5 or guard\$5 or prevent\$5 or block\$5)) and ((rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5) with (construct\$5 or make or making or design\$5 or fabricat\$5 or program\$5 or defin\$5 or set or setting or configur\$5 or program\$5) with (user or client or worker or person or subject or terminal or adminstrat\$5 or programmer)))) and (GUI or template or "user interface") and ((identif\$5 or determin\$5 or detect\$5 or sight\$5 or monitor\$5 or not\$5 or classif\$5 or sens\$5 or calcul\$5) with (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)) and (code or element or command or menu or feature or function) and (rule or proxy\$5 or parameter\$ or law or code or setting or query\$5 or featur\$5)) and ((notif\$5 or alert\$5 or send\$5 or email\$5 or indicat\$5 or tell\$5 or respond\$5) same (intrus\$5 or break\$5 or virus or hacker or cracker or unauthoriz\$5 or invalid\$5 or intrud\$5 or invad\$5)) and (intrus\$.ab. or network.ab.) and (((("6101606") or ("6088804") or ("6006328") or ("5388211") or ("6609205") or ("6484315") or ("6415321") or ("6269447") or ("5699403") or ("5557742") or ("5278901") or ("5796942") or ("5798706") or ("5892903") or ("5931946") or ("5958015") or ("5991881") or ("6185689") or ("6263444") or ("6279113") or ("6282546") or ("6298445") or ("6301668") or ("6324656") or ("6330562") or ("6343362") or ("6347376") or ("6359557") or ("6363489") or ("6370648") or ("6408391") or ("5892903") or ("5136523") or ("5278901") or ("5802320").PN.) or ("6101606" "6088804" "6006328" "5388211" "6609205" "6484315" "6415321" "6269447" "5699403" "5557742" "5278901" "5796942" "5798706" "5892903" "5931946" "5958015" "5991881" "6185689" "6263444" "6279113" "6282546" "6298445" "6301668" "6324656" "6330562" "6343362" "6347376" "6359557" "6363489" "6370648" "6408391"))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 14:36
Search History	7/22/04 4:19:23 PM	Page 7		

42	32	5796942.URPN.	USPAT	2004/07/22 14:45
43	27	5796942.URPN. and @ad<20000110	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 14:45
44	15	(5796942.URPN. and @ad<20000110) and (GUI or template or "user interface")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 15:35
45	0	6473800.URPN.	USPAT	2004/07/22 14:51
46	2	("6738908").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/22 15:35